

Contents

1 Introduction	2
2 Usage	2
3 Examples	2
3.1 Some groups and sequences	2
3.2 Lifelines	3
3.3 Found and lost messages	4
3.4 Custom images	5
4 Reference	6
4.1 Participants	6
4.1.1 _par	6
4.1.2 SHAPES	7
4.2 Sequences	8
4.2.1 _evt	8
4.2.2 _seq	8
4.2.3 EVENTS	11
4.2.4 tips	11
4.2.5 comment-align	12
4.3 Groups	13
4.3.1 _grp	13
4.3.2 _sync	14
4.4 Gaps and separators	15
4.4.1 _gap	15
4.4.2 _sep	15
4.5 Notes	16
4.5.1 _note	16
4.5.2 SHAPES	17
4.5.3 SIDES	17

1 Introduction

This package lets you create nice sequence diagrams using the CeTZ package.

2 Usage


Simply import `chronos` and call the `diagram` function:

```
#import "@preview/chronos:0.1.0"
#chronos.diagram({
  import chronos: *
  ...
})
```


3 Examples

You can find the following examples and more in the [gallery](#) directory

3.1 Some groups and sequences



3.2 Lifelines




```

chronos.diagram({
  import chronos: *
  _seq("alice", "bob", comment: "hello", enable-dst: true)
  _seq("bob", "bob", comment: "self call", enable-dst: true)
  _seq(
    "bill", "bob",
    comment: "hello from thread 2",
    enable-dst: true,
    lifeline-style: (fill: rgb("#005500"))
  )
  _seq("bob", "george", comment: "create", create-dst: true)
  _seq(
    "bob", "bill",
    comment: "done in thread 2",
    disable-src: true,
    dashed: true
  )
  _seq("bob", "bob", comment: "rc", disable-src: true, dashed: true)
  _seq("bob", "george", comment: "delete", destroy-dst: true)
  _seq("bob", "alice", comment: "success", disable-src: true, dashed: true)
})

```

3.3 Found and lost messages



3.4 Custom images

```

sequenceDiagram
    participant Me as Me
    participant Typst as Typst
    participant Rust as Rust
    Me->>Typst: opens document
    activate Typst
    Typst->>Typst: types document
    deactivate Typst
    Typst->>Rust: compiles content
    activate Rust
    Rust->>Typst: renders document
    deactivate Rust
    deactivate Typst
    Typst->>Me: displays document
  
```

```

let load-img(path) = image(path, width: 1.5cm, height: 1.5cm, fit:"contain")
let TYPST = load-img("../gallery/typst.png")
let FERRIS = load-img("../gallery/ferris.png")
let ME = load-img("../gallery/me.jpg")

chronos.diagram({
  import chronos: *
  _par("me", display-name: "Me", shape: "custom", custom-image: ME)
  _par("typst", display-name: "Typst", shape: "custom", custom-image: TYPST)
  _par("rust", display-name: "Rust", shape: "custom", custom-image: FERRIS)

  _seq("me", "typst", comment: "opens document", enable-dst: true)
  _seq("me", "typst", comment: "types document")
  _seq("typst", "rust", comment: "compiles content", enable-dst: true)
  _seq("rust", "typst", comment: "renders document", disable-src: true)
  _seq("typst", "me", comment: "displays document", disable-src: true)
})
  
```

4 Reference

4.1 Participants

4.1.1 `_par`

Creates a new participant

Parameters

```
_par(  
  name: str,  
  display-name: auto content,  
  from-start: bool,  
  invisible: bool,  
  shape: str,  
  color: color,  
  custom-image: none image,  
  show-bottom: bool,  
  show-top: bool  
) -> array
```

name str

Unique participant name used as reference in other functions

display-name auto or content

Name to display in the diagram. If set to auto, name is used

Default: auto

from-start bool

If set to true, the participant is created at the top of the diagram. Otherwise, it is created at the first reference

Default: true

invisible bool

If set to true, the participant will not be shown

Default: false

shape str

The shape of the participant. Possible values in [SHAPES](#)

Default: "participant"

color `color`

The participant's color

Default: `rgb("#E2E2F0")`

custom-image `none` or `image`

If shape is 'custom', sets the custom image to display

Default: `none`

show-bottom `bool`

Whether to display the bottom shape

Default: `true`


show-top `bool`

Whether to display the top shape

Default: `true`

4.1.2 SHAPES

Possible participant shapes



4.2 Sequences

4.2.1 _evt

Manually adds an event to the given participant

Parameters

```
_evt(  
  participant: str,  
  event: str  
)
```

participant str

The participant concerned by the event

event str

The event type (see [EVENTS](#) for ccepted values)

4.2.2 _seq

Creates a sequence / message between two participants

Parameters

```
_seq(  
  p1: str,  
  p2: str,  
  comment: none content,  
  comment-align: str,  
  dashed: bool,  
  start-tip: str,  
  end-tip: str,  
  color: color,  
  flip: bool,  
  enable-dst: bool,  
  create-dst: bool,  
  disable-dst: bool,  
  destroy-dst: bool,  
  disable-src: bool,  
  destroy-src: bool,  
  lifeline-style: auto dict,  
  slant: none int  
) -> array
```

p1 str

Start participant

p2 `str`

End participant

comment `none` or `content`

Optional comment to display along the arrow

Default: `none`

comment-align `str`

Where to align the comment with respect to the arrow (see `comment-align` for accepted values)

Default: `"left"`

dashed `bool`

Whether the arrow's stroke is dashed or not

Default: `false`

start-tip `str`

Start arrow tip (see `tips` for accepted values)

Default: `" "`

end-tip `str`

End arrow tip (see `tips` for accepted values)

Default: `">"`

color `color`

Arrow's color

Default: `black`

flip `bool`

If true, the arrow is flipped (goes from end to start). This is particularly useful for self calls, to change the side on which the arrow appears

Default: `false`

enable-dst bool

If true, enables the destination lifeline

Default: `false`

create-dst bool

If true, creates the destination lifeline and participant

Default: `false`

disable-dst bool

If true, disables the destination lifeline

Default: `false`

destroy-dst bool

If true, destroys the destination lifeline and participant

Default: `false`

disable-src bool

If true, disables the source lifeline

Default: `false`

destroy-src bool

If true, destroy the source lifeline and participant

Default: `false`

lifeline-style auto or dict

Optional styling options for lifeline rectangles (see CeTZ documentation for more information on all possible values)

Default: `auto`

slant none or int

Optional slant of the arrow

Default: `none`


4.2.3 EVENTS

Accepted values for event argument of `_evt()`

EVENTS = ("create", "destroy", "enable", "disable")

4.2.4 tips

Accepted values for start-tip and end-tip arguments of `_seq()`



4.2.5 comment-align


Accepted values for comment-align argument of `_seq()`

<p>The diagram illustrates the alignment options for a sequence between two participants. Two vertical dashed lines represent the participants, labeled 'Start participant' at the top and bottom. Five horizontal arrows point from the 'End participant' line to the 'Start participant' line, labeled 'start', 'end', 'left', 'right', and 'center' from top to bottom.</p>	<pre> _par("p1", display-name: "Start participant") _par("p2", display-name: "End participant") let alignments = ("start", "end", "left", "right", "center") for a in alignments { _seq("p2", "p1", comment: raw(a), comment-align: a) } </pre>
--	---

4.3 Groups

4.3.1 `_grp`

Creates a group of sequences



Parameters

```
_grp(
  name: content,
  desc: none content,
  type: str,
  elmts: array
)
```

name `content`

The group's name

desc `none` or `content`

Optional description

Default: `none`

type `str`

The groups's type (unused for the moment)


Default: `"default"`

elmts `array`

Elements inside the group (can be sequences, other groups, notes, etc.)

4.3.2 `_sync`

Synchronizes multiple sequences



Parameters

`_sync`(`elmts`: array)

elmts array

Synchronized elements (generally sequences or notes)

4.4 Gaps and separators

4.4.1 `_gap`

Creates a gap before the next element

Parameters

`_gap(size: int)`


size `int`

Size of the gap

Default: `20`

4.4.2 `_sep`

Creates a separator before the next element



Parameters

`_sep(name: content)`

name `content`

Name to display in the middle of the separator

4.5 Notes

4.5.1 `_note`

Creates a note

Parameters

```
_note(  
    side: str,  
    content: content,  
    pos: none | str | array,  
    color: color,  
    shape: str,  
    aligned: bool  
)
```

side str

The side on which to place the note (see [SIDES](#) for accepted values)

content content

The note's content

pos none or str or array

Optional participant(s) on which to draw next to / over. If `side` is "left" or "right", sets next to which participant the note is placed. If `side` is "over", sets over which participant(s) it is placed

Default: none

color color

The note's color

Default: `rgb("#FEFFDD")`

shape str

The note's shape (see [SHAPES](#) for accepted values)

Default: "default"

aligned bool

True if the note is aligned with another note, in which case `side` must be "over", false otherwise

Default: false

4.5.2 SHAPES

Accepted values for shape argument of `_note()`

```

_par("alice", display-name: "Alice")
_par("bob", display-name: "Bob")
_note("over", `default`, pos: "alice")
_note("over", `rect`, pos: "bob", shape: "rect")
_note("over", `hex`, pos: ("alice", "bob"), shape: "hex")

```

4.5.3 SIDES

Accepted values for side argument of `_note()`

```

_par("alice", display-name: "Alice")
_par("bob", display-name: "Bob")
_par("charlie", display-name: "Charlie")
_note("left", [ `left` of Alice], pos: "alice")
_note("right", [ `right` of Charlie], pos: "charlie")
_note("over", [ `over` Alice and Bob], pos: ("alice", "bob"))
_note("across", [ `across` all participants])
_seq("alice", "bob")
_note("left", [linked with sequence])
_note("over", [A note], pos: "alice")
_note("over", [Aligned note], pos: "charlie", aligned: true)

```